Pretika

OxySonic® Eye Spa

Massage, Soothe, Nourish Eye Area

Model ST243

Instructions for Use
& Warranty Information

Pretika®

Merging Science
with Skin Care®

Pretika

OxySonic® Eye Spa

Massage, Soothe, Nourish Eye Area

Congratulations and thank you for being a customer of Pretika! Before you start, please take a moment to get to know your OxySonic Eye Spa and how it works. For important information about safety and how to use the OxySonic Eye Spa, read the full Instructions for Use booklet. Contact the experts at Pretika for any assistance in helping you get started.

Customer Service Contact:
1-949-481-8818
Email:
customerservice@pretika.com
Or visit our website at
www.pretika.com
Hours of Operation:
Monday – Friday
8:00 AM to 4:00 PM
Pacific Standard Time

OxySonic Eye Spa Features

Eye Mask & Controller


Easy-Fill Water Reservoir Cover with Fill-Level Indicator
Adjustable Head Band
Advanced Silicone Comfort Seal Technology
Hand-held Functional Controller

Control Panel

To Install or Replace Batteries

1. Make sure the OxySonic Eye Spa is turned off.
2. Remove the outer battery compartment cover located on the back side of the remote control unit by pressing downward pointing arrows and pushing downward towards the bottom of the handle, then lift-off the cover.
3. Use the markings in the battery compartment as a guide to position the (+) positive or (-) negative end of the batteries. Make sure ribbon is at bottom of batter compartment and batteries are placed over it. Insert three (3) new “AA” batteries (not included).
4. Replace the outer battery compartment cover by aligning with the slides and pressing upward on arrows until cover snaps closed.
5. When battery-power low – indicating batteries should be replaced, the red LED light on the remote control unit will flash for 30 Seconds, and the unit will automatically shut-off. Please replace old batteries with new batteries.
   Do not mix old and new batteries. Do not mix alkaline, standard (carbonizing) or rechargeable (nickel-cadmium) batteries. To dispose of alkaline batteries, place in the trash (normal municipal waste). Recycling of batteries at your local recycling center is good for the environment.

Battery-Life: 3 new AA batteries should provide up to 80 minutes of use time.



Getting Started

Step 1: Filling your OxySonic Eye Spa
Make sure unit is in “Off” mode. Fill Droplet Bottle with distilled water (recommended) or fresh tap water. Lid-open Water Reservoir Cover, fill Droplet with water from Bottle and dispense into reservoir until full (between 2-3 full droplets of water). Press Water Reservoir Cover closed.

Functional Controls

This is the massage mask that uses mist, gentle vibration, and warmth to relax and soothe the eyes. Its .09 oz./ 2.45ml reservoir accepts distilled or tap water, which is ultrasonically converted into an oxygen-rich mist that hydrates and nourishes the orbital area and temples, removing dark circles and puffiness around the eyes. It’s integrated massager pulses at two intensity settings to alleviate eye fatigue with soothing vibration that relaxes and calms. The mask’s lower frame provides two heat settings – low at 104° F and high at 107.6 F, of soothing heat for the upper cheek bones for increasing circulation for a healthy glow. The mask’s silicon seal gently contours to the unique shape of your face while the adjustable headband provides a comfortable fit, allowing you to manage settings at your leisure with the tethered remote control. Each setting (mist, vibration, warmth) is controlled manually (you can have them all on at the same time or you can just have one or two on but not the third, any combination, etc.). When you press the power button on with each use – the device will be in the following modes: massage at low intensity setting, heating at low setting and mist working at the same time. Then you can adjust settings or turn of modes depending on the desired treatment. Use only when seated.

Control Panel & Buttons



1. ON/OFF Power button (a) Press the ON/OFF button, the OxySonic Eye Spa will be “On” showing a blue LED indicator light. (b) When power is first pressed “On”, the OxySonic Eye Spa will be in the following modes: **Ultrasonic Oxygenated Hydrating Mist Mode**, **Micro-Pulsating Intelligent Massage** low intensity speed mode, “Low” Heat Temperature Mode. To change the control modes of each feature:
2. Press the button of Mist, (c) then the indicator of mist will be on,(d) and there will be mist out. The cycle of mist is 2 seconds work, then 5 seconds stop.
3. Press the button of Heating, (e) the indicator light is on. The cycle of heating button is OFF—Low—High—OFF. Lights on button indicate levels of heat.(g & h)
4. Press the button of vibration, (f) the indicator light is on. The cycle of vibration button is OFF—Low—High—OFF Lights on button indicate levels of vibration. (i & j)
5. It features a built-in auto shut-off timer – the OxySonic Eye Spa will operate for 8 minutes, then shut-off. To restart, simply press the On/Off button. (a)



Comfort Fit: Silicone Seal



Adjustable Head Band

Caring For Your OxySonic Eye Spa®

1. Do not allow liquid cleansers or moisturizers to accumulate in the Oxygenated Mist Flow opening in the center of the mask.

2. Device is designed only for use when seated. Keep device away from water.

3. Do not use abrasive cleaners or chemicals to clean any part of the Device.

4. Clean with damp cloth– using mild detergent or warm water and towel dry immediately.

5. After each use, drain out remaining water in tank and reservoir. Recommend to remove batteries from device when not in use.

6. If water reservoir is filled and Oxygenation Mist output is low, remove the buildup under the atomization chip with included cleaning bush. See Monthly Cleaning and Maintenance Section on page 8.

Monthly Cleaning and Maintenance

Before cleaning, make sure unit is in “Off” position. To clean device:

1. If there is buildup of water or smudges on the plastic surfaces, clean with damp cloth of mild detergent, towel dry immediately after cleaning.

2. To clean Water Reservoir, refill water tank 2/3 full, shake water tank and then open the cap to drain water. Repeat 3 or 4 times.

3. WARNING: DO NOT place directly under running faucet.

4. To disinfect the water tank pour about 2 drops of white vinegar into water tank that is 2/3 full and allow it to soak for only 20 to 30 minutes – then shake water tank and then open the cap to drain water.

5. To remove any buildup of minerals in the water tank, use the Atomization Chip Cleaning Brush (a) (included) to remove any buildup of minerals that have accumulated on the Atomization Chip. Simply insert brush as shown (b) and gently brush back-and-forth. NOTE: The buildup is due to water hardness. The harder your water, the more often this maintenance will be needed. Be careful not to use any metal blade on any plastic parts.





6. NEVER use any metal or hard objects to clean plastic parts which may cause scratching of the plastic parts.

7. Each day the reservoir and tank should be drained, rinsed and refilled Distilled water or with fresh tap water.

Warning

When using this battery-operated product, basic safety precautions should always be followed to reduce the risk of fire, electric shock, and injury to persons, including the following:

Read all instructions before using the OxySonic Eye Spa (Product)

1. For external use only – For adult use only keep out of reach of children – please be sure to use as directed. Any individual who may be pregnant, has a pacemaker, suffers from migraines, diabetes, phlebitis and/or thrombosis, is at an increased risk of developing blood clots, or who has pins/screws/artificial joints or other medical devices implanted in his/her body should consult with a physician before using a massaging device designed for home use. As with any product, discontinue use if rash, redness or itching occurs. Consult physician if irritation persists.
2. Do not apply extreme pressure when using device. This could damage product.
3. Basic safety precautions should always be followed when using any electrical product, specifically when children are present.
4. Do not place or store the product where it can fall or be pulled into tub, sink, water or other liquid.
5. Do not attempt to open the device to clean the interior.
6. Do not use incorrect batteries, use only with appropriate battery type.
7. DO NOT place product near heat sources such as stoves, radiators, and heaters. DO NOT locate device on an inside wall near an electrical outlet.
8. NEVER place product in an area where it is accessible to children.
9. WARNING: Do not attempt to refill product without first turning product into “Off” mode. Failure to heed this warning may cause personal injury.
10. Use the product only for intended use as described in this Instructions For Use booklet. Any other use not recommended by the manufacturer may cause fire, electric shock, or injury to persons. The use of attachments not recommended or sold by the manufacturer may cause hazards.
11. DO NOT use outdoors.
12. Always use device while seated. A waterproof mat or pad is recommended for use under the device. NEVER place it on a rug or carpet, or on a finished floor that may be damaged by exposure to water or moisture.
13. NEVER tilt, move, or attempt to empty unit while it is operating. Shut off and empty water reserve tank before moving the unit.
14. NEVER use detergents, gasoline, glass cleaner, furniture polish, paint thinner or other household solvents to clean any part of the device.

15. DO NOT attempt to repair or adjust any electrical or mechanical functions on this unit. Doing so will void your warranty. The inside of the unit contains no user serviceable parts. All servicing should be performed by qualified personnel only.
16. Never place housing under water flow or immerse in liquids.
17. Do not pour water in any openings other than the water tank.
18. NEVER operate Oxygenation Mist Function without water in the tank.
19. Never carry device with water in Water Tank or reservoir.
20. Fill the water tank according to the instructions and place inside base correctly.
21. Whenever the water level is empty within the reservoir (tank), the Oxygenated Mist output will dissipate – indicating time to refill the reservoir (tank). The Oxygenated Mist Flow feature will operate as long as there is water in the tank.
22. The device should not be left unattended in a closed room with the Oxygenated Mist Flow feature in the ON mode since air could become saturated and leave condensation on walls or furniture.
23. Do not add any medications to the Water Tank. Do not cover, or insert objects into, any openings on the device.
24. Do not leave water in the base reservoir for long periods between use. Water contains minerals and other particles. During operation most of these minerals will remain in the water reservoir. Gradual buildup of deposits will coat the hot water reservoir and reduce its efficiency. The importance of routine cleaning and care cannot be over-emphasized. Hard water contains more minerals and other particles.
25. Turn-off Oxygenating Mist Control if mists are interfering with breathing, flow output of mist should be concentrated within the product and dissipation of mists outside of the treatment tray area.
26. Only fill the Water Tank Reservoir with Distilled or fresh tap water.
27. Turn device off after each use.

Limited 90 Day Warranty

Your Pretika product is warranted to be free from defect in material and workmanship for a period of 90 days after its original purchase date under normal use. This warranty extends only to the original retailer purchaser with original proof of purchase and only when purchased from an authorized Pretika retailer or reseller. This warranty does not cover products determined by Pretika Corporation to be damaged by any of the following:

- Accident, misuse, abuse or alteration
- Servicing by unauthorized persons
- Use with unauthorized accessories or use other than instructed
- Use of incorrect charging adaptor types
- Any other conditions beyond our control

Some states do not allow the exclusion or limitation of incidental or consequential damages or allow limitations on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal its negligence. Pretika's entire liability for any defective product shall not exceed the purchase price for the defective product. Pretika disclaims any liability for general, consequential, incidental or special damages, even if aware of the likelihood of such damages.

During Warranty Period with Proof of Purchase (store receipt)
Should your product become defective during the warranty period, package the item securely and return it prepaid/insured.

Outside Warranty Period
Should your product become defective outside the warranty period – or you do not have store receipt, package the item securely and return it prepaid/insured along with a check or money order payable to Pretika Corporation in the amount of $30.00 to cover handling and postage charges.
To insure prompt repair or replacement, provide complete, legible name, street address, email and phone number information and a note indicating the nature of the product defect. We will Repair or Replace (at our sole discretion) product at no charge and return via ground shipment.

Return to:
Pretika Corporation
Warranty Department
12215 Holly Street
Riverside, CA 92509 USA

Customer Service

For questions or assistance relating to the use of this product– or for information on all of the innovative Beauty, Skin Care, Spa and Personal Care products manufactured by Pretika, contact our Customer Service Team at 949-491-8818 Phone (8:00 to 4:00 PM, Pacific Standard time, Monday through Friday), 949-481-8828 Fax or by email at customerservice@pretika.com.
Or visit us at www.pretika.com, www.facebook.com/ pretikaskincare, and www.twitter.com/pretikaskincare.

Pretika

OxySonic® Eye Spa

Massage, Soothe, Nourish Eye Area

Pretika Corporation
Riverside, CA 92509
p 949.481.8818 | **f** 949.481.8828
e customerservice@pretika.com
w www.pretika.com
Facebook.com/pretikaskincare.com
Twitter.com/pretikaskincare
www.youtube.com/pretikaskincare
www.pinterest.com/pretikaskincare